

MTN-MTL50

Intel® Core™ Ultra (Meteor Lake/Arrow Lake-H) Processor based Ultra-Compact Mini PC with Thunderbolt 4



Features

- CPU: Intel® Meteor Lake/Arrow Lake-H Processor
- Memory: Dual Channel DDR5 for Memory up to 96GB
- Display: Integrated Intel® Arc™ Graphics, HDMI+DP+Thunderbolt™ 4
- I/O Ports: 2xUSB-C(1*TBT4+1*USB3.2_10Gbps), 2xUSB3.2, 1xUSB2.0, 2xLAN(2.5GbE), Audio
- Storage: 2xM.2_Key M Slot for 2280 NVMe SSD
- Expansion: 1xM.2_Key E Slot for 2230 WiFi and Bluetooth
- Power: 19V/20V DC-in



Introduction

The MTN-MTL95 Ultra-Compact Mini PC combines next-generation performance with cutting-edge AI capabilities in a sleek, space-saving design. Powered by the latest Intel® Meteor Lake and Arrow Lake processors (125H / 155H / 255H), it offers up to 16 cores and clock speeds reaching 5.1GHz. With support for high-speed DDR5 memory up to 96GB, dual NVMe SSDs, and integrated Intel® Arc™ graphics, the MTN-MTL95 delivers the computing power and graphics performance needed for demanding multitasking, content creation, and immersive 4K media experiences.

Equipped with Intel® AI Boost NPU technology, the MTN-MTL95 accelerates AI-driven applications, making it future-ready for productivity and entertainment. Its versatile connectivity includes triple 4K display outputs, dual 2.5GbE LAN, Thunderbolt™ 4, and USB 3.2, ensuring flexibility across both home and business environments. Compact yet powerful, the MTN-MTL95 is the perfect solution for office productivity, digital signage, education, and home entertainment where performance, efficiency, and reliability are essential.





H/W Monitor



Watchdog



I/O Interfaces




Technical Specifications

Processor	Meteor Lake/Arrow Lake	125H	155H	255H
	Total Cores/Threads	14C/18T	16C/22T	16C/16T
	P-core Max Frequency	4.5 GHz	4.8 GHz	5.1 GHz
	E-core Max Frequency	3.6 GHz	3.8 GHz	4.4 GHz
	Cache	18 MB	24 MB	24 MB
	TDP	/	/	/
GPU	Integrated Graphics	Intel® Arc™ graphics	Intel® Arc™ graphics	Intel® Arc™ 140T
NPU	Intel® AI Boost	Yes	Yes	Yes
	BIOS	AMI UEFI BIOS		
Memory	Type	Dual Channel SO-DIMM DDR5		
	Max. Capacity	96GB		
Display	GPU	Integrated Intel® Graphics.		
	Interface	1xDP2.1, 1xHDMI2.1, 1xTBT4		
Ethernet	Controller	2 x RTL8125		
	Speed	10/100/1000/2500Mbps		
	Interface	2 x RJ45		
Audio	Audio Codec	SenaryTech SN6186		
	Interface	1 x CTIA 2in1 Audio Jack, supports Line-out+Mic-in		
Storage	M.2_N1/N2	2 x M.2 Key M Slot for 2280 NVMe SSD		
Expansion	M.2_E	1xM.2 Key E Slot for 2230 Wi-Fi&Bluetooth Module		
Other I/O	USB3.2	2xUSB3.2		
	USB2.0	1xUSB2.0		
	USB-C	2xUSB-C(Front:1*USB 3.2_10Gbps.Rear:1*TBT4 full-funcationed.)		
	TPM	Optional		
Dimension	Size	127 mm x 129 mm x 55mm (L x W x H)		
	Weight	N.W. Barebone: 0.685KG		
Power	Standard Port	19V/20V DC-in		
Temperature	Operating Temp.	0°C to 50°C		
	Storage Temp.	-20°C to 70°C		
Cooling		Active		
Operating System		Windows10/11 64bit, Linux 64bit.		

*All specifications and photos are subject to change without notice.

Dimension



Copyright © 2025 Maxtang Technology Co. Ltd.. All rights reserved. All data is for information purposes only and not guaranteed for legal purposes. Information has been carefully checked and is believed to be accurate however, no responsibility is assumed for inaccuracies. Maxtang and the Maxtang logo and all other trademarks or registered trademarks are the property of their respective owners and are recognized. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress, and HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.